



***INDUSTRIAL DATA &
PROCESS AUTOMATION
CATALOG***

DEAR BUSINESS PARTNERS,

ZION COMMUNICATION is a professional signal products and security system products provider. We believe on investing and building strong R&D capabilities for new technology and innovation. We have a strong R&D team and skilled workers, also with the advanced machines and modern factories which can provide our customers with outstanding quality, service. Our company keep on investing other factories and build up strong cooperation with other companies too to provide whole products and systems in signal field and security systems to satisfy customers orders inquire.

ZION COMMUNICATION 's management and international sales teams are committed to our customers' utmost satisfaction. Our experienced team experts strives to service every inquiry, quote, and order quickly and efficiently, meeting and often exceeding customers' expectations.

ZION COMMUNICATION is keep on developing in healthy and reasonable speed, and welcome to be partners of us.

Best wishes,



Michael Xsu

ZION
Communication
HELLOSIGNAL®





Factory And Production Equipment 1



Quality Control 2



Industrial Data & Process Automation 3



Industrial Ethernet Cable 4



Bus Cable 6



Flex data transmission cable 9

*CLOSE TO
CUSTOMERS.*





Factory And Production Equipment




Quality Control


Consistent quality is the key to develop long-term business relationship; therefore ZION COMMUNICATION valued consistent quality throughout every phase of manufacturing process.

From raw materials to final products, we perform intense quality checks to maintain our product quality.



Since quality is the buzz word today & each customer/consumer wants it in totality. Our quality policy & work philosophy stresses towards total customer satisfaction. We have well defined interdepartmental as well as intra Departmental Network Blocks where complete monitoring of job works is done. A well trained staff/Dedicated sales /Excelled production force all strive continuously delivering better services to the customer. An ISO-9002 certification is an affidavit to it which consolidates our verdict for quality.





MAKING QUALITY A PRIORITY

Quality Control

A highlight of ZION COMMUNICATION is its emphasis on Quality Control, Quality Audit and Quality Assurance in the spheres of manufacturing activities and service, i.e. from RAW MATERIAL TO FINAL PRODUCTS to CUSTOMER SUPPORT SERVICES.

Electrolytic Copper & Aluminum ensures longer life for conductor. Bunching/twisting of ministrants as per international standards. Proper annealing gives softness & flexibility.

Insulation -grade PVC stands high temperatures.
Higher DI-electric strength insulation used.
Weather proof sheathing/insulation material.
Grease/Oil resistant properties.
Voltage fluctuations don't affect.
Resistant to fire hazards.
Self fire-extinguishing & flame proof cables.
Rigid quality controls conforms to-specification.
Chemicals and microbiological attacks don't affect.
No damage due to severe bending while laying.
Immune to fluctuations in temperatures.
Fire Insurance approved.

Description Design

Cable with Copper / Aluminium Conductors PVC insulated colour coded cores laid extruded PVC inner sheathed overall PVC sheathed armored / unarmored cables.



Tests

Testing is a very important part of cable manufacture and all raw materials and finished cables must be thoroughly tested to ensure the quality of cables. ZION COMMUNICATION has a well equipped test fields and electrical, mechanical and chemical laboratories capable of carrying out all tests which are required as per relevant specifications. The most modern testing equipment is installed in these laboratories.



Description

Today, manufacturing productivity depends upon seamless data communication and automation systems. And both depend upon high-performance cabling solutions. ZION COMMUNICATION can supply industrial cabling solutions for applications like yours: whether you are networking your factory floor or your process equipment and devices to their controllers... and on to the control room, or relaying data between the control room, the engineering department, and remote manufacturing sites - or, all of the above. From your petrochemical, automotive manufacturing, pharmaceutical, power generation, pulp and paper, metals, food and beverage, or general manufacturing plant to your corporate headquarters - and everywhere in between. Most importantly you can have the peace of mind that is inherent with the use of ZION COMMUNICATION products since all our cables are manufactured on the industry's highest standards of quality, using the most advanced equipment, systems, controls and processes available.

Industrial Data & Process Automation

7130000 Industrial Ethernet Cable

7131000 Bus Cable

7132000 Flex data transmission cable




*CLOSE TO
CUSTOMERS.*



Industrial Ethernet Cable

Catalog No.	Spec.	Jacket	Nominal OD(mm)	Copper.weight approx (kg/km)	Weight approx(kg/km)	
Industrial CAT5e Cable NO.7130000	4*2*AWG24/1	LSZH	6.8	32	54	
Industrial CAT5e Cable NO.7130001	4*2*AWG24/1	PUR	6.8	32	52	
Industrial CAT5e Cable NO.7130002	4*2*AWG24/1	PVC	6.8	32	54	
Industrial CAT5e Cable NO.7130003	4*2*AWG26/7	LSZH	6.1	26	56	
Industrial CAT5e Cable NO.7130004	4*2*AWG26/7	PUR	6.1	26	54	
Industrial CAT5e Cable NO.7130005	4*2*AWG26/7	PVC	6.1	26	56	
Industrial CAT5e Cable NO.7130006	4*2*AWG26/19	PVC	6.3	27	54	
Industrial CAT5e Cable NO.7130007	4*2*AWG26/19	PUR	6.3	27	54	
Industrial CAT6 Cable NO.7130100	4*2*AWG26/19	PVC	6.8	29	54	
Industrial CAT6 Cable NO.7130101	4*2*AWG26/19	PUR	6.8	29	54	
Industrial CAT6 Cable NO.7130102	4*2*AWG24/19	PVC	7.1	38	66	
Industrial CAT6 Cable NO.7130103	4*2*AWG24/19	PUR	7.1	38	66	





Industrial Ethernet Cable

Catalog No.	Spec.	Jacket	Nominal OD(mm)	Copper.weight approx (kg/km)	Weight approx(kg/km)
Industrial CAT6A Cable NO.7130201	4*2*AWG26/7	PUR	6.4	25	47
Industrial CAT6A Cable NO.7130202	4*2*AWG24/7	PVC	7.8	40	74
Industrial CAT6A Cable NO.7130203	4*2*AWG24/7	PUR	7.8	40	72
Industrial CAT7 Cable NO.7130300	4*2*AWG26/7	PVC	6.4	25	49
Industrial CAT7 Cable NO.7130301	4*2*AWG26/7	PUR	6.4	25	47
Industrial CAT7 Cable NO.7130302	4*2*AWG24/7	PVC	7.8	40	74
Industrial CAT7 Cable NO.7130303	4*2*AWG24/7	PUR	7.8	40	72
RS-485 NO.7130400	1*2*0.22mm ²	PVC	5.9	17	37
RS-485 NO.7130401	2*2*0.22mm ²	PVC	7.6	28	55
RS-485 NO.7130402	3*2*0.22mm ²	PVC	8.2	37	72
RS-485 NO.7130403	1*2*0.25mm ²	PUR	6	18	39
RS-485 NO.7130404	2*2*0.25mm ²	PUR	7.9	33	65
RS-485 NO.7130405	3*2*0.25mm ²	PUR	8	39	77





Bus Cable

Catalog No.	Spec.	Jacket	Nominal OD(mm)	Copper.weight approx (kg/km)	Weight approx (kg/km)
CANBus Cable NO.7131000	1*2*0.22mm ²	PVC	5.7	14	44
CANBus Cable NO.7131001	2*2*0.22mm ²	PVC	7.6	26	66
CANBus Cable NO.7131002	1*2*0.34mm ²	PVC	6.8	22	57
CANBus Cable NO.7131003	2*2*0.34mm ²	PVC	8.5	35	92
CANBus Cable NO.7131004	1*2*0.50mm ²	PVC	7.5	27.5	67
CANBus Cable NO.7131005	2*2*0.50mm ²	PVC	9.7	47	96
CANBus Cable NO.7131006	1*2*0.22mm ²	PUR	6.3	16	48
CANBus Cable NO.7131007	2*2*0.22mm ²	PUR	8.4	31	74
CANBus Cable NO.7131008	1*2*0.34mm ²	PUR	7.3	26	66
CANBus Cable NO.7131009	2*2*0.34mm ²	PUR	9.3	37	86
CANBus Cable NO.7131010	1*2*0.50mm ²	PUR	8.1	33	72
CANBus Cable NO.7131011	2*2*0.50mm ²	PUR	10.6	50	102
INTERBUSCable NO.7131100	3*2*0.25mm ²	PVC	7.5	32.5	63.5
INTERBUSCable NO.7131101	3*2*0.25mm ²	PUR	7.5	32.5	61
INTERBUSCable NO.7131102	3*2*0.25mm ² +3*1mm ²	PVC	8.3	64	94
INTERBUSCable NO.7131103	3*2*0.25mm ² +3*1mm ²	PUR	8.3	64	98



Bus Cable

Catalog No.	Spec.	Jacket	Nominal OD(mm)	Copper.weight approx (kg/km)	Weight approx (kg/km)		
CC-Link Cable NO.7131200	3*1*20AWG	PVC	7.7	34	83		
CC-Link Cable NO.7131201	3*1*20AWG	PUR	7.7	34	80		
DeviceNet Cable NO.7131300	2*24AWG+2*22 AWG	PVC	7	32	35		
DeviceNet Cable NO.7131301	2*24AWG+2*22 AWG	PUR	7	32	63		
Catalog No.	Spec.	Inner jacket	Outer jacket	Nominal OD(mm)	Copper.weight approx (kg/km)	Weight approx (kg/km)	
PROFIBUSDP Cable NO.7131400	1*2*22AWG/1	PVC	PVC	8	25	72	
PROFIBUSDP Cable NO.7131401	1*2*22AWG/1	/	PUR	8	25	68	
PROFIBUSDP Cable NO.7131402	1*2*22AWG/1	/	PVC	8	25	72.5	
PROFIBUSDP Cable NO.7131403	1*2*22AWG/1	PVC	PE	8	25	61.5	
PROFIBUSDP Cable NO.7131404	1*2*22AWG/1	PVC	PUR	8	25	68.5	
PROFIBUSDP Cable NO.7131405	1*2*24AWG/19	PVC	PVC	8	25	72	
PROFIBUSDP Cable NO.7131406	1*2*24AWG/19	/	PUR	8	25	68	
PROFIBUSDP Cable NO.7131407	1*2*24AWG/19	/	PVC	8	25	72.5	
PROFIBUSDP Cable NO.7131408	1*2*24AWG/19	PVC	PUR	8	25	68.5	





Bus Cable

Catalog No.	Spec.	Inner jacket	Outer jacket	Nominal OD(mm)	Copper weight approx (kg/km)	Weight approx (kg/km)
PROFINETCable NO.7131500	2*2*22AWG/1	PVC	PVC	6.5	25	63
PROFINETCable NO.7131501	2*2*22AWG/1	FRNC	FRNC	6.5	25	63
PROFINETCable NO.7131502	2*2*22AWG/7	PVC	PVC	6.5	26.6	65
PROFINETCable NO.7131503	2*2*22AWG/7	FRNC	FRNC	6.5	26.6	65
PROFINETCable NO.7131504	2*2*22AWG/19	PVC	PVC	6.5	26	64
PROFINETCable NO.7131505	2*2*22AWG/19	FRNC	FRNC	6.5	26	64

Flex data transmission cable

LiYY PVC unscreened flex data cables

Catalog No.	Description&No. Conductors x cross-sec mm ²	Outer Diameter	Weight ca kg/km
LiYY PVC unscreened flex data cables NO.7132000	2X0.14	3.2	13
LiYY PVC unscreened flex data cables NO.7132001	3X0.14	3.2	16
LiYY PVC unscreened flex data cables NO.7132002	4X0.14	3.5	19
LiYY PVC unscreened flex data cables NO.7132003	5X0.14	4	22
LiYY PVC unscreened flex data cables NO.7132004	6X0.14	4.3	25
LiYY PVC unscreened flex data cables NO.7132005	7X0.14	4.3	28





Flex data transmission cable

LiYY PVC unscreened flex data cables

Catalog No.	Description&No.Conductors x cross-sec mm ²	Outer Diameter	Weight ca kg/km	
LiYY PVC unscreened flex data cables NO.7132006	8X0.14	4.6	35	
LiYY PVC unscreened flex data cables NO.7132007	10X0.14	5.3	41	
LiYY PVC unscreened flex data cables NO.7132008	12X0.14	5.6	48	
LiYY PVC unscreened flex data cables NO.7132009	14X0.14	5.9	53	
LiYY PVC unscreened flex data cables NO.7132010	16X0.14	6.2	59	
LiYY PVC unscreened flex data cables NO.7132011	18X0.14	6.5	65	
LiYY PVC unscreened flex data cables NO.7132012	20X0.14	6.8	70	
LiYY PVC unscreened flex data cables NO.7132013	21X0.14	6.8	77	
LiYY PVC unscreened flex data cables NO.7132014	24X0.14	7.6	87	
LiYY PVC unscreened flex data cables NO.7132015	25X0.14	7.6	91	
LiYY PVC unscreened flex data cables NO.7132016	27X0.14	7.7	97	
LiYY PVC unscreened flex data cables NO.7132017	30X0.14	8	108	
LiYY PVC unscreened flex data cables NO.7132018	32X0.14	8.2	114	





Flex data transmission cable

LiYY PVC unscreened flex data cables

Catalog No.	Description&No. Conductors x cross-sec mm ²	Outer Diameter	Weight ca kg/km	
	LiYY PVC unscreened flex data cables NO.7132019	36X0.14	8.7	126
	LiYY PVC unscreened flex data cables NO.7132020	40X0.14	9.5	139
	LiYY PVC unscreened flex data cables NO.7132021	42X0.14	9.8	146
	LiYY PVC unscreened flex data cables NO.7132022	44X0.14	10.3	153
	LiYY PVC unscreened flex data cables NO.7132023	48X0.14	10.4	164
	LiYY PVC unscreened flex data cables NO.7132030	2X0.25	3.8	18
	LiYY PVC unscreened flex data cables NO.7132031	3X0.25	3.9	22
	LiYY PVC unscreened flex data cables NO.7132032	4X0.25	4.3	26
	LiYY PVC unscreened flex data cables NO.7132033	5X0.25	4.8	30
	LiYY PVC unscreened flex data cables NO.7132034	6X0.25	5.2	36
	LiYY PVC unscreened flex data cables NO.7132035	7X0.25	5.2	42
	LiYY PVC unscreened flex data cables NO.7132036	8X0.25	5.7	49





Flex data transmission cable

LiYY PVC unscreened flex data cables

Catalog No.	Description&No.Conductors x cross-sec mm ²	Outer Diameter	Weight ca kg/km	
LiYY PVC unscreened flex data cables NO.7132037	10X0.25	6.4	57	
LiYY PVC unscreened flex data cables NO.7132038	12X0.25	6.7	66	
LiYY PVC unscreened flex data cables NO.7132039	14X0.25	7.1	75	
LiYY PVC unscreened flex data cables NO.7132040	16X0.25	7.5	84	
LiYY PVC unscreened flex data cables NO.7132041	18X0.25	7.9	72	
LiYY PVC unscreened flex data cables NO.7132042	19X0.25	8.4	84	
LiYY PVC unscreened flex data cables NO.7132043	20X0.25	9.1	101	
LiYY PVC unscreened flex data cables NO.7132044	21X0.25	9.3	107	
LiYY PVC unscreened flex data cables NO.7132045	24X0.25	9.8	120	
LiYY PVC unscreened flex data cables NO.7132046	25X0.25	9.9	132	
LiYY PVC unscreened flex data cables NO.7132047	27X0.25	10.1	140	
LiYY PVC unscreened flex data cables NO.7132048	30X0.25	10.3	156	





Flex data transmission cable

LiYY PVC unscreened flex data cables

Catalog No.	Description&No.Conductors x cross-sec mm ²	Outer Diameter	Weight ca kg/km	
LiYY PVC unscreened flex data cables NO.7132049	32X0.25	10.5	164	
LiYY PVC unscreened flex data cables NO.7132050	36X0.25	11.1	182	
LiYY PVC unscreened flex data cables NO.7132051	37X0.25	11.3	190	
LiYY PVC unscreened flex data cables NO.7132052	40X0.25	11.5	200	
LiYY PVC unscreened flex data cables NO.7132053	42X0.25	11.8	211	
LiYY PVC unscreened flex data cables NO.7132054	44X0.25	12.6	225	
LiYY PVC unscreened flex data cables NO.7132055	48X0.25	12.7	245	
LiYY PVC unscreened flex data cables NO.7132060	2X0.34	4.2	22	
LiYY PVC unscreened flex data cables NO.7132061	3X0.34	4.4	30	
LiYY PVC unscreened flex data cables NO.7132062	4X0.34	4.9	43	





Flex data transmission cable

LiYY PVC unscreened flex data cables

Catalog No.	Description&No.Conductors x cross-sec mm ²	Outer Diameter	Weight ca kg/km	
LiYY PVC unscreened flex data cables NO.7132063	5X0.34	5.3	54	
LiYY PVC unscreened flex data cables NO.7132064	6X0.34	5.8	58	
LiYY PVC unscreened flex data cables NO.7132065	7X0.34	5.9	31	
LiYY PVC unscreened flex data cables NO.7132066	8X0.34	6.3	73	
LiYY PVC unscreened flex data cables NO.7132067	10X0.34	7.2	82	
LiYY PVC unscreened flex data cables NO.7132068	12X0.34	7.6	108	
LiYY PVC unscreened flex data cables NO.7132069	14X0.34	8	108	
LiYY PVC unscreened flex data cables NO.7132070	16X0.34	8.4	126	
LiYY PVC unscreened flex data cables NO.7132071	18X0.34	8.9	143	
LiYY PVC unscreened flex data cables NO.7132072	20X0.34	9.8	130	





Flex data transmission cable

LiYY PVC unscreened flex data cables

Catalog No.	Description&No.Conductors x cross-sec mm ²	Outer Diameter	Weight ca kg/km	
LiYY PVC unscreened flex data cables NO.7132073	21X0.34	9.8	166	
LiYY PVC unscreened flex data cables NO.7132074	24X0.34	11	186	
LiYY PVC unscreened flex data cables NO.7132075	25X0.34	11.2	192	
LiYY PVC unscreened flex data cables NO.7132076	27X0.34	11.2	206	
LiYY PVC unscreened flex data cables NO.7132077	30X0.34	11.6	226	
LiYY PVC unscreened flex data cables NO.7132078	32X0.34	11.9	245	
LiYY PVC unscreened flex data cables NO.7132079	36X0.34	12.6	285	
LiYY PVC unscreened flex data cables NO.7132080	37X0.34	12.9	292	
LiYY PVC unscreened flex data cables NO.7132081	40X0.34	13.5	318	





Flex data transmission cable

LiYY PVC unscreened flex data cables

Catalog No.	Description&No.Conductors x cross-sec mm ²	Outer Diameter	Weight ca kg/km	
LiYY PVC unscreened flex data cables NO.7132082	42X0.34	14	330	
LiYY PVC unscreened flex data cables NO.7132083	44X0.34	14.7	370	
LiYY PVC unscreened flex data cables NO.7132084	48X0.34	14.9	405	
LiYY PVC unscreened flex data cables NO.7132090	2x0.5	4.8	40	
LiYY PVC unscreened flex data cables NO.7132091	3x0.5	5.1	46	

Flex data transmission cable

LiYCY Flexible Date Transmission with copper screen cable

Catalog No.	Description&No.Conductors x cross-sec mm ²	Number of cores	Outer Diameter	Weight ca kg/km	
LiYCY Flexible Date Transmission with copper screen cable NO.7132100	0.14mm ² (18/0.1mm)	2	3.8	20	
LiYCY Flexible Date Transmission with copper screen cable NO.7132101	0.14mm ² (18/0.1mm)	3	4	25	
LiYCY Flexible Date Transmission with copper screen cable NO.7132102	0.14mm ² (18/0.1mm)	4	4.3	30	



Flex data transmission cable

LiYCY Flexible Date Transmission with copper screen cable

Catalog No.	Description&No.Conductor s xcross-sec mm ²	Number of cores	Outer Diameter	Weight ca kg/km	
LiYCY Flexible Date Transmission with copper screen cable NO.7132103	0.14mm ² (18/0.1mm)	5	4.6	46	
LiYCY Flexible Date Transmission with copper screen cable NO.7132104	0.14mm ² (18/0.1mm)	7	5.2	49	
LiYCY Flexible Date Transmission with copper screen cable NO.7132105	0.14mm ² (18/0.1mm)	10	6.3	56	
LiYCY Flexible Date Transmission with copper screen cable NO.7132106	0.14mm ² (18/0.1mm)	12	6.4	60	
LiYCY Flexible Date Transmission with copper screen cable NO.7132107	0.14mm ² (18/0.1mm)	16	7.2	81	
LiYCY Flexible Date Transmission with copper screen cable NO.7132108	0.14mm ² (18/0.1mm)	20	8.2	110	
LiYCY Flexible Date Transmission with copper screen cable NO.7132109	0.14mm ² (18/0.1mm)	25	9	120	
LiYCY Flexible Date Transmission with copper screen cable NO.7132110	0.14mm ² (18/0.1mm)	30	9.4	136	
LiYCY Flexible Date Transmission with copper screen cable NO.7132111	0.14mm ² (18/0.1mm)	40	10.3	170	
LiYCY Flexible Date Transmission with copper screen cable NO.7132112	0.14mm ² (18/0.1mm)	50	11.3	210	





Flex data transmission cable

LiYCY Flexible Date Transmission with copper screen cable

Catalog No.	Description&No.Conductors x cross-sec mm ²	Number of cores	Outer Diameter	Weight ca kg/km		
LiYCY Flexible Date Transmission with copper screen cable NO.7132120	0.25mm ² (14/0.15mm)	2	4.5	30		
LiYCY Flexible Date Transmission with copper screen cable NO.7132121	0.25mm ² (14/0.15mm)	3	5.1	37		
LiYCY Flexible Date Transmission with copper screen cable NO.7132122	0.25mm ² (14/0.15mm)	4	5.2	44		
LiYCY Flexible Date Transmission with copper screen cable NO.7132123	0.25mm ² (14/0.15mm)	5	5.7	51		
LiYCY Flexible Date Transmission with copper screen cable NO.7132124	0.25mm ² (14/0.15mm)	7	6.4	60		
LiYCY Flexible Date Transmission with copper screen cable NO.7132125	0.25mm ² (14/0.15mm)	10	8.1	93		
LiYCY Flexible Date Transmission with copper screen cable NO.7132126	0.25mm ² (14/0.15mm)	12	8.4	104		
LiYCY Flexible Date Transmission with copper screen cable NO.7132127	0.25mm ² (14/0.15mm)	16	8.9	132		
LiYCY Flexible Date Transmission with copper screen cable NO.7132128	0.25mm ² (14/0.15mm)	20	10.7	166		
LiYCY Flexible Date Transmission with copper screen cable NO.7132129	0.25mm ² (14/0.15mm)	25	11.5	190		





Flex data transmission cable

LiYCY Flexible Date Transmission with copper screen cable

Catalog No.	Description&No.Conductor s xcross-sec mm ²	Number of cores	Outer Diameter	Weight ca kg/km	
LiYCY Flexible Date Transmission with copper screen cable NO.7132130	0.25mm ² (14/0.15mm)	30	11.9	212	
LiYCY Flexible Date Transmission with copper screen cable NO.7132131	0.25mm ² (14/0.15mm)	40	13.1	260	
LiYCY Flexible Date Transmission with copper screen cable NO.7132132	0.25mm ² (14/0.15mm)	50	14.3	310	
LiYCY Flexible Date Transmission with copper screen cable NO.7132140	0.34mm ² (7/0.25mm)	2	5	33	
LiYCY Flexible Date Transmission with copper screen cable NO.7132141	0.34mm ² (7/0.25mm)	3	5.4	42	
LiYCY Flexible Date Transmission with copper screen cable NO.7132142	0.34mm ² (7/0.25mm)	4	5.8	49	
LiYCY Flexible Date Transmission with copper screen cable NO.7132143	0.34mm ² (7/0.25mm)	5	6.1	59	
LiYCY Flexible Date Transmission with copper screen cable NO.7132144	0.34mm ² (7/0.25mm)	7	6.7	69	
LiYCY Flexible Date Transmission with copper screen cable NO.7132145	0.34mm ² (7/0.25mm)	10	8.5	106	
LiYCY Flexible Date Transmission with copper screen cable NO.7132146	0.34mm ² (7/0.25mm)	12	8.7	119	





Flex data transmission cable

LiYCY Flexible Date Transmission with copper screen cable

Catalog No.	Description&No.Conductors x cross-sec mm ²	Number of cores	Outer Diameter	Weight ca kg/km	
LiYCY Flexible Date Transmission with copper screen cable NO.7132147	0.34mm ² (7/0.25mm)	16	9.6	146	
LiYCY Flexible Date Transmission with copper screen cable NO.7132148	0.34mm ² (7/0.25mm)	20	10.6	190	
LiYCY Flexible Date Transmission with copper screen cable NO.7132149	0.34mm ² (7/0.25mm)	25	12	220	
LiYCY Flexible Date Transmission with copper screen cable NO.7132150	0.34mm ² (7/0.25mm)	30	12.7	253	
LiYCY Flexible Date Transmission with copper screen cable NO.7132151	0.34mm ² (7/0.25mm)	40	14	318	
LiYCY Flexible Date Transmission with copper screen cable NO.7132152	0.34mm ² (7/0.25mm)	50	15.5	389	
LiYCY Flexible Date Transmission with copper screen cable NO.7132160	0.5(Class 5)	2	6.3	42.0	
LiYCY Flexible Date Transmission with copper screen cable NO.7132161	0.5(Class 5)	3	6.6	51.0	
LiYCY Flexible Date Transmission with copper screen cable NO.7132162	0.5(Class 5)	4	7.0	61.0	
LiYCY Flexible Date Transmission with copper screen cable NO.7132163	0.5(Class 5)	5	7.6	76.0	





Flex data transmission cable

LiYCY Flexible Date Transmission with copper screen cable

Catalog No.	Description&No. Conductors x cross-sec mm ²	Number of cores	Outer Diameter	Weight ca kg/km	
LiYCY Flexible Date Transmission with copper screen cable NO.7132164	0.5(Class 5)	7	8.3	98.0	
LiYCY Flexible Date Transmission with copper screen cable NO.7132165	0.5(Class 5)	10	10.2	141.0	
LiYCY Flexible Date Transmission with copper screen cable NO.7132166	0.5(Class 5)	12	10.5	156.0	
LiYCY Flexible Date Transmission with copper screen cable NO.7132167	0.5(Class 5)	16	11.5	195.0	
LiYCY Flexible Date Transmission with copper screen cable NO.7132168	0.5(Class 5)	20	12.9	247.0	
LiYCY Flexible Date Transmission with copper screen cable NO.7132169	0.5(Class 5)	25	14.4	314.0	
LiYCY Flexible Date Transmission with copper screen cable NO.7132170	0.5(Class 5)	30	14.7	348.0	
LiYCY Flexible Date Transmission with copper screen cable NO.7132171	0.5(Class 5)	40	16.3	440.0	
LiYCY Flexible Date Transmission with copper screen cable NO.7132172	0.5(Class 5)	50	18.4	552.0	





Flex data transmission cable

LiYY (TP) Twisted Paired Flex data and Control Cable

Catalog No.	Description&No.Conductors x cross-sec mm ²	Outer Diameter	Weight ca kg/km	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132200	2x0.14mm ²	3.3	14.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132201	3x0.14mm ²	3.6	15.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132202	4x0.14mm ²	3.8	18.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132203	5x0.14mm ²	4.0	23.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132204	6x0.14mm ²	4.4	27.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132205	7x0.14mm ²	4.4	29.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132206	8x0.14mm ²	4.8	33.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132207	10x0.14mm ²	5.1	37.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132208	12x0.14mm ²	5.4	41.0	
LiYY (TP) Twisted Paired Flex data and Control Cable	14x0.14mm ²	5.7	47.0	





Flex data transmission cable

LiYY (TP) Twisted Paired Flex data and Control Cable

Catalog No.	Description&No. Conductors x cross-sec mm ²	Outer Diameter	Weight ca kg/km	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132210	16x0.14mm ²	6.4	59.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132211	20x0.14mm ²	7.2	77.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132212	25x0.14mm ²	8.2	88.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132220	2x0.22mm ²	3.6	18.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132221	3x0.22mm ²	3.8	20.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132222	4x0.22mm ²	4.2	24.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132223	5x0.22mm ²	4.4	30.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132224	6x0.22mm ²	5.0	34.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132225	7x0.22mm ²	5.0	37.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132226	8x0.22mm ²	5.3	43.0	





Flex data transmission cable

LiYY (TP) Twisted Paired Flex data and Control

Catalog No.	Description&No. Conductors x cross-sec mm ²	Outer Diameter	Weight ca kg/km	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132227	10x0.22mm ²	5.8	47.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132228	12x0.22mm ²	5.9	51.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132229	14x0.22mm ²	6.2	61.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132230	16x0.22mm ²	6.6	75.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132231	25x0.22mm ²	8.2	90.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132232	25x0.22mm ²	9.1	115.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132240	2x0.25mm ²	3.8	19.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132241	3x0.25mm ²	3.9	23.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132242	4x0.25mm ²	4.3	25.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132243	5x0.25mm ²	4.8	34.0	





Flex data transmission cable

LiYY (TP) Twisted Paired Flex data and Control Cable

Catalog No.	Description&No.Conductors x cross-sec mm ²	Outer Diameter	Weight ca kg/km	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132244	6x0.25mm ²	5.2	39.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132245	7x0.25mm ²	5.2	42.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132246	8x0.25mm ²	5.7	49.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132247	9x0.25mm ²	6.0	55.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132248	10x0.25mm ²	6.4	57.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132249	12x0.25mm ²	6.7	66.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132250	16x0.25mm ²	7.5	84.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132251	20x0.25mm ²	8.1	101.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132252	25x0.25mm ²	9.9	132.0	





Flex data transmission cable

LiYY (TP) Twisted Paired Flex data and Control Cable

Catalog No.	Description&No.Conductors x cross-sec mm ²	Outer Diameter	Weight ca kg/km	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132260	2x0.34mm ²	4.3	29.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132261	3x0.34mm ²	4.7	32.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132262	4x0.34mm ²	5.0	37.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132263	5x0.34mm ²	5.3	43.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132264	6x0.34mm ²	5.8	52.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132265	7x0.34mm ²	5.8	54.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132266	8x0.34mm ²	6.4	63.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132267	9x0.34mm ²	7.0	75.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132268	10x0.34mm ²	7.4	81.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132269	12x0.34mm ²	7.6	91.0	





Flex data transmission cable

LiYY (TP) Twisted Paired Flex data and Control Cable

Catalog No.	Description&No. Conductors x cross-sec mm ²	Outer Diameter	Weight ca kg/km	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132270	16x0.34mm ²	8.7	120.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132271	20x0.34mm ²	9.7	140.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132272	25x0.34mm ²	10.7	180.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132280	2x0.50mm ²	4.6	30.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132281	3x0.50mm ²	4.9	37.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132282	4x0.50mm ²	5.3	45.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132283	5x0.50mm ²	5.8	53.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132284	6x0.50mm ²	6.5	65.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132285	7x0.50mm ²	6.5	68.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132286	8x0.50mm ²	7.3	78.0	





Flex data transmission cable

LiYY (TP) Twisted Paired Flex data and Control Cable

Catalog No.	Description&No.Conductors x cross-sec mm ²	Outer Diameter	Weight ca kg/km	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132287	9x0.50mm ²	7.7	90.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132288	10x0.50mm ²	8.2	98.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132289	12x0.50mm ²	8.5	112.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132290	16x0.50mm ²	9.2	135.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132291	20x0.50mm ²	10.4	161.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132292	25x0.50mm ²	11.5	201.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132300	2x0.75mm ²	5.2	42.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132301	3x0.75mm ²	5.4	48.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132302	4x0.75mm ²	6.1	63.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132303	5x0.75mm ²	6.5	75.0	





Flex data transmission cable

LiYY (TP) Twisted Paired Flex data and Control Cable

Catalog No.	Description&No. Conductors x cross-sec mm ²	Outer Diameter	Weight ca kg/km	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132304	6x0.75mm ²	7.5	84.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132305	7x0.75mm ²	7.5	95.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132306	8x0.75mm ²	8.2	116.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132307	10x0.75mm ²	8.8	127.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132308	12x0.75mm ²	9.2	139.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132309	14x0.75mm ²	9.8	155.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132310	16x0.75mm ²	10.5	185.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132311	20x0.75mm ²	11.9	239.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132312	25x0.75mm ²	13.8	290.0	





Flex data transmission cable

LiYY (TP) Twisted Paired Flex data and Control Cable

Catalog No.	Description&No. Conductors x cross-sec mm ²	Outer Diameter	Weight ca kg/km	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132320	2x1.00mm ²	5.6	53.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132321	3x1.00mm ²	6.0	61.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132322	4x1.00mm ²	6.3	71.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132323	5x1.00mm ²	7.2	85.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132324	6x1.00mm ²	7.8	102.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132325	7x1.00mm ²	7.8	109.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132326	8x1.00mm ²	8.8	128.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132327	10x1.00mm ²	9.5	151.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132328	12x1.00mm ²	10.0	170.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132329	14x1.00mm ²	10.5	218.0	





Flex data transmission cable

LiYY (TP) Twisted Paired Flex data and Control Cable

Catalog No.	Description&No. Conductors x cross-sec mm ²	Outer Diameter	Weight ca kg/km	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132330	16x1.00mm ²	12.1	262.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132331	20x1.00mm ²	13.3	341.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132332	25x1.00mm ²	14.9	372.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132340	2x1.50mm ²	6.6	63.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132341	3x1.50mm ²	7.1	75.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132342	4x1.50mm ²	7.6	103.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132343	5x1.50mm ²	8.4	130.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132344	6x1.50mm ²	9.4	146.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132345	7x1.50mm ²	9.4	176.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132346	8x1.50mm ²	10.5	180.0	





Flex data transmission cable

LiYY (TP) Twisted Paired Flex data and Control Cable

Catalog No.	Description&No. Conductors x cross-sec mm ²	Outer Diameter	Weight ca kg/km	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132347	10x1.50mm ²	11.0	210.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132348	12x1.50mm ²	12.0	248.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132349	14x1.50mm ²	12.8	270.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132350	16x1.50mm ²	14.2	380.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132351	20x1.50mm ²	16.1	460.0	
LiYY (TP) Twisted Paired Flex data and Control Cable NO.7132352	25x1.50mm ²	17.5	575.0	





Flex data transmission cable

LiYY JZ Flexible screened numbered cores data Transmission cable with protective conductor

Catalog No.	Description&No. Conductors cross-sec mm ²	Number of cores	Outer Diameter	Approx. Weight kg/km	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132400	0.5mm ²	2	5.3	45.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132401	0.5mm ²	3	5.6	55.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132402	0.5mm ²	4	6.2	61.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132403	0.5mm ²	5	6.7	74.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132404	0.5mm ²	6	7.4	89.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132405	0.5mm ²	7	7.9	98.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132406	0.5mm ²	8	8.5	117.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132407	0.5mm ²	10	9.5	135.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132408	0.5mm ²	12	9.6	157.0	





Flex data transmission cable

LiYY JZ Flexible screened numbered cores data Transmission cable with protective conductor

Catalog No.	Description&No. Conductors cross-sec mm ²	Number of cores	Outer Diameter	Approx. Weight kg/km	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132409	0.5mm ²	14	10.0	190.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132410	0.5mm ²	16	10.7	210.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132411	0.5mm ²	18	11.2	217.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132412	0.5mm ²	20	11.9	240.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132413	0.5mm ²	21	12.5	250.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132414	0.5mm ²	24	12.9	300.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132415	0.5mm ²	25	13.5	314.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132416	0.5mm ²	30	14.0	360.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132417	0.5mm ²	32	14.6	425.0	





Flex data transmission cable

LiYY JZ Flexible screened numbered cores data Transmission cable with protective conductor

Catalog No.	Description&No.Conductors cross-sec mm ²	Number of cores	Outer Diameter	Approx.Weight kg/km	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132418	0.5mm ²	34	15.3	433.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132419	0.5mm ²	36	15.9	446.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132420	0.5mm ²	40	16.4	475.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132421	0.5mm ²	50	18.1	573.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132430	0.75mm ²	2	5.7	59.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132431	0.75mm ²	3	6.2	66.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132432	0.75mm ²	4	6.7	77.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132433	0.75mm ²	5	7.2	93.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132434	0.75mm ²	6	8.0	113.0	





Flex data transmission cable

LiYY JZ Flexible screened numbered cores data Transmission cable with protective conductor

Catalog No.	Description&No. Conductors cross-sec mm ²	Number of cores	Outer Diameter	Approx. Weight kg/km	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132435	0.75mm ²	7	8.6	130.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132436	0.75mm ²	8	9.4	145.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132437	0.75mm ²	10	10.2	180.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132438	0.75mm ²	12	10.4	202.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132439	0.75mm ²	14	11.1	225.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132440	0.75mm ²	16	11.6	275.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132441	0.75mm ²	18	12.4	292.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132442	0.75mm ²	20	12.9	320.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132443	0.75mm ²	21	13.8	378.0	





Flex data transmission cable

LiYY JZ Flexible screened numbered cores data Transmission cable with protective conductor

Catalog No.	Description&No.Conductors cross-sec mm ²	Number of cores	Outer Diameter	Approx.Weight kg/km	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132444	0.75mm ²	24	14.5	410.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132445	0.75mm ²	25	14.9	425.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132446	0.75mm ²	30	15.6	450.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132447	0.75mm ²	32	16.1	484.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132448	0.75mm ²	34	16.9	502.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132449	0.75mm ²	36	17.1	535.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132450	0.75mm ²	40	18.3	610.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132451	0.75mm ²	50	20.0	777.0	





Flex data transmission cable

LiYY JZ Flexible screened numbered cores data Transmission with protective conductor

Catalog No.	Description&No. Conductors cross-sec mm ²	Number of cores	Outer Diameter	Approx. Weight kg/km	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132460	1.00mm ²	2	6.5	80.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132461	1.00mm ²	3	7.1	98.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132462	1.00mm ²	4	7.6	127.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132463	1.00mm ²	5	8.5	144.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132464	1.00mm ²	6	9.1	158.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132465	1.00mm ²	7	9.9	197.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132466	1.00mm ²	8	10.8	232.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132467	1.00mm ²	10	11.2	260.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132468	1.00mm ²	12	11.8	302.0	





Flex data transmission cable

LiYY JZ Flexible screened numbered cores data Transmission with protective conductor

Catalog No.	Description&No. Conductors cross-sec mm ²	Number of cores	Outer Diameter	Approx. Weight kg/km	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132469	1.00mm ²	14	12.3	346.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132470	1.00mm ²	16	13.2	380.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132471	1.00mm ²	18	13.5	412.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132472	1.00mm ²	20	13.8	440.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132473	1.00mm ²	21	15.5	493.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132474	1.00mm ²	24	16.1	534.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132475	1.00mm ²	25	16.2	562.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132476	1.00mm ²	30	16.7	595.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132477	1.00mm ²	32	17.1	616.0	





Flex data transmission cable

LiYY JZ Flexible screened numbered cores data Transmission cable with protective conductor

Catalog No.	Description&No.Conductors cross-sec mm ²	Number of cores	Outer Diameter	Approx.Weight kg/km	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132478	1.00mm ²	34	18.0	741.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132479	1.00mm ²	36	18.8	790.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132480	1.00mm ²	40	19.4	835.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132481	1.00mm ²	50	21.4	1025.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132490	1.5mm ²	2	7.0	88.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132491	1.5mm ²	3	7.6	100.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132492	1.5mm ²	4	8.2	126.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132493	1.5mm ²	5	9.1	160.0	





Flex data transmission cable

LiYY JZ Flexible screened numbered cores data Transmission cable with protective conductor

Catalog No.	Description&No.Conductors cross-sec mm ²	Number of cores	Outer Diameter	Approx.Weight kg/km	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132494	1.5mm ²	7	10.8	208.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132495	1.5mm ²	8	11.6	244.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132496	1.5mm ²	10	12.8	315.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132497	1.5mm ²	12	13.1	383.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132498	1.5mm ²	14	13.9	424.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132499	1.5mm ²	16	14.9	479.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132500	1.5mm ²	18	15.7	508.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132501	1.5mm ²	19	16.8	545.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132502	1.5mm ²	20	17.4	560.0	





Flex data transmission cable

LiYY JZ Flexible screened numbered cores data Transmission cable with protective conductor

Catalog No.	Description&No. Conductors cross-sec mm ²	Number of cores	Outer Diameter	Approx. Weight kg/km	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132503	1.5mm ²	21	18.3	690.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132504	1.5mm ²	24	18.9	705.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132505	1.5mm ²	25	19.7	810.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132506	1.5mm ²	30	19.9	830.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132507	1.5mm ²	35	22.4	890.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132508	1.5mm ²	37	23.2	945.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132509	1.5mm ²	40	23.2	1060.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132510	1.5mm ²	50	25.5	1290.0	





Flex data transmission cable

LiYY JZ Flexible screened numbered cores data Transmission cable with protective conductor

Catalog No.	Description&No. Conductors cross-sec mm ²	Number of cores	Outer Diameter	Approx. Weight kg/km	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132520	2.5mm ²	2	8.6	130.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132521	2.5mm ²	3	9.4	167.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132522	2.5mm ²	4	10.2	195.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132523	2.5mm ²	5	11.3	223.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132524	2.5mm ²	7	13.5	344.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132525	2.5mm ²	10	15.4	460.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132526	2.5mm ²	12	16.7	570.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132527	2.5mm ²	18	18.1	681.0	





Flex data transmission cable

LiYY JZ Flexible screened numbered cores data Transmission with protective conductor

Catalog No.	Description&No.Conductors cross-sec mm ²	Number of cores	Outer Diameter	Approx.Weight kg/km	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132530	4.00mm ²	2	109.0	185.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132531	4.00mm ²	3	11.5	240.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132532	4.00mm ²	4	12.9	310.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132533	4.00mm ²	5	14.1	385.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132534	4.00mm ²	7	15.7	500.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132540	6.00mm ²	2	12.1	268.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132541	6.00mm ²	3	13.0	330.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132542	6.00mm ²	4	14.5	415.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132543	6.00mm ²	5	16.1	509.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132544	6.00mm ²	7	17.9	672.0	



Flex data transmission cable

LiYY JZ Flexible screened numbered cores data Transmission with protective conductor

Catalog No.	Description&No.Conductors cross-sec mm ²	Number of cores	Outer Diameter	Approx.Weight kg/km	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132550	10.00mm ²	2	15.7	425.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132551	10.00mm ²	3	16.7	500.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132552	10.00mm ²	4	18.5	783.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132553	10.00mm ²	5	20.7	856.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132554	10.00mm ²	7	22.5	1305.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132560	16.00mm ²	4	21.3	880.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132561	16.00mm ²	5	23.9	1295.0	





Flex data transmission cable

LiYY JZ Flexible screened numbered cores data Transmission cable with protective conductor

Catalog No.	Description&No.Conductor s xcross-sec mm ²	Number of cores	Outer Diameter	Approx.Wei ght kg/km	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132570	25.00mm ²	4	27.0	1570.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132571	25.00mm ²	5	30.0	1965.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132580	35.00mm ²	4	31.7	2070.0	
LiYY JZ Flexible screened numbered cores data Transmission cable NO.7132581	35.00mm ²	5	35.7	2690.0	






Flex data transmission cable

LiYCY-CY PVC insulated separate screened data transmission cable

Catalog No.	Description&No. Conductors cross-section mm ²	Outer Diameter	Copper Weight kg/km	Weight kg/km	AWG
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132600	LiYCY-CY 2x2x0.14mm ²	7.3	31.0	95.0	26
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132601	LiYCY-CY 3x2x0.14mm ²	7.5	34.0	105.0	26
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132602	LiYCY-CY 4x2x0.14mm ²	9.3	45.0	140.0	26
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132603	LiYCY-CY 5x2x0.14mm ²	10.5	58.0	160.0	26
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132604	LiYCY-CY 6x2x0.14mm ²	11.0	67.0	185.0	26
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132605	LiYCY-CY 7x2x0.14mm ²	11.0	78.0	230.0	26
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132606	LiYCY-CY 8x2x0.14mm ²	13.0	97.0	245.0	26
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132607	LiYCY-CY 9x2x0.14mm ²	14.1	101.0	280.0	26
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132608	LiYCY-CY 10x2x0.14mm ²	14.0	108.0	325.0	26
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132609	LiYCY-CY 12x2x0.14mm ²	15.0	134.0	380.0	26





Flex data transmission cable

LiYCY-CY PVC insulated separate screened data transmission cable

Catalog No.	Description&No. Conductors cross-sec mm ²	Outer Diameter	Copper Weight kg/km	Weight kg/km	AWG
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132610	LiYCY-CY 16x2x0.14mm ²	17.0	179.0	440.0	26
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132611	LiYCY-CY 20x2x0.14mm ²	17.8	225.0	520.0	26
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132620	LiYCY-CY 2x2x0.25mm ²	9.5	62.0	125.0	24
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132621	LiYCY-CY 3x2x0.25mm ²	10.0	78.2	140.0	24
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132622	LiYCY-CY 4x2x0.25mm ²	12.0	124.1	205.0	24
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132623	LiYCY-CY 5x2x0.25mm ²	12.1	137.6	230.0	24
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132624	LiYCY-CY 6x2x0.25mm ²	13.0	148.1	275.0	24
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132625	LiYCY-CY 7x2x0.25mm ²	16.0	159.1	295.0	24
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132626	LiYCY-CY 8x2x0.25mm ²	17.0	178.7	330.0	24
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132627	LiYCY-CY 10x2x0.25mm ²	17.2	213.9	420.0	24





Flex data transmission cable

LiYCY-CY PVC insulated separate screened data transmission

Catalog No.	Description&No. Conductors cross-sec mm ²	Outer Diameter	Copper Weight kg/km	Weight kg/km	AWG
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132628	LiYCY-CY 12x2x0.25mm ²	17.5	238.3	465.0	24
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132629	LiYCY-CY 16x2x0.25mm ²	22.0	291.4	590.0	24
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132630	LiYCY-CY 20x2x0.25mm ²	22.6	325.0	620.0	24
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132631	LiYCY-CY 24x2x0.25mm ²	27.5	367.5	690.0	24
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132632	LiYCY-CY 32x2x0.25mm ²	29.8	588.0	785.0	24
LiYCY-CY PVC insulated separate screened data transmission cable NO.7132633	LiYCY-CY 48x2x0.25mm ²	34.5	840.5	970.0	24
LiYCY-CY PVC insulated separate screened data transmission cable NO.713240	LiYCY-CY 2x2x0.34mm ²	10.1	73.1	139.0	22
LiYCY-CY PVC insulated separate screened data transmission cable NO.713241	LiYCY-CY 3x2x0.34mm ²	11.0	88.1	157.0	22
LiYCY-CY PVC insulated separate screened data transmission cable NO.713242	LiYCY-CY 4x2x0.34mm ²	12.4	137.2	213.0	22
LiYCY-CY PVC insulated separate screened data transmission cable NO.713243	LiYCY-CY 6x2x0.34mm ²	14.5	174.8	308.0	22





Flex data transmission cable

LiYCY-CY PVC insulated separate screened data transmission

Catalog No.	Description&No.Conductors x cross-sec mm ²	Outer Diameter	Copper Weight kg/km	Weight kg/km	AWG
LiYCY-CY PVC insulated separate screened data transmission cable NO.713244	LiYCY-CY 8x2x0.34mm ²	17.6	247.2	385.0	22
LiYCY-CY PVC insulated separate screened data transmission cable NO.713245	LiYCY-CY 10x2x0.34mm ²	17.6	288.7	433.0	22
LiYCY-CY PVC insulated separate screened data transmission cable NO.713246	LiYCY-CY 12x2x0.34mm ²	18.5	321.0	495.0	22
LiYCY-CY PVC insulated separate screened data transmission cable NO.713247	LiYCY-CY 16x2x0.34mm ²	20.7	388.4	600.0	22
LiYCY-CY PVC insulated separate screened data transmission cable NO.713248	LiYCY-CY 20x2x0.34mm ²	22.5	425.5	637.0	22
LiYCY-CY PVC insulated separate screened data transmission cable NO.713249	LiYCY-CY 24x2x0.34mm ²	28.0	577.1	781.0	22
LiYCY-CY PVC insulated separate screened data transmission cable NO.713250	LiYCY-CY 2x2x0.50mm ²	10.8	83.1	143.0	20
LiYCY-CY PVC insulated separate screened data transmission cable NO.713251	LiYCY-CY 3x2x0.50mm ²	11.4	106.4	179.0	20
LiYCY-CY PVC insulated separate screened data transmission cable NO.713252	LiYCY-CY 4x2x0.50mm ²	13.0	158.0	241.0	20
LiYCY-CY PVC insulated separate screened data transmission cable NO.713253	LiYCY-CY 6x2x0.50mm ²	14.9	201.4	319.0	20





Flex data transmission cable

LiYCY-CY PVC insulated separate screened data transmission

Catalog No.	Description&No.Conductors cross-sec mm ²	Outer Diameter	Copper Weight kg/km	Weight kg/km	AWG
LiYCY-CY PVC insulated separate screened data transmission cable NO.713254	LiYCY-CY 8x2x0.50mm ²	18.8	311.5	441.0	20
LiYCY-CY PVC insulated separate screened data transmission cable NO.713255	LiYCY-CY 10x2x0.50mm ²	18.0	334.5	464.0	20
LiYCY-CY PVC insulated separate screened data transmission cable NO.713256	LiYCY-CY 12x2x0.50mm ²	20.1	394.1	529.0	20
LiYCY-CY PVC insulated separate screened data transmission cable NO.713257	LiYCY-CY 14x2x0.50mm ²	21.6	446.0	641.0	20
LiYCY-CY PVC insulated separate screened data transmission cable NO.713258	LiYCY-CY 16x2x0.50mm ²	23.8	501.2	694.0	20
LiYCY-CY PVC insulated separate screened data transmission cable NO.713259	LiYCY-CY 24x2x0.50mm ²	28.4	712.4	930.0	20





Flex data transmission cable

LiYCY(TP) Twisted paired-Flexible screened data Transmission

Catalog No.	Description&No. Conductors x cross-sec mm ²	Outer Diameter	Weight kg/km	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132800	2x2x0.14	5.7	39.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132801	3x2x0.14	5.8	48.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132802	4x2x0.14	6.2	54.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132803	6x2x0.14	7.1	85.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132804	8x2x0.14	8.2	97.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132805	10x2x0.14	8.7	110.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132806	12x2x0.14	8.9	142.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132807	16x2x0.14	10.2	154.0	






Flex data transmission cable

LiYCY(TP) Twisted paired-Flexible screened data Transmission

Catalog No.	Description&No. Conductor s x cross-sec mm ²	Outer Diameter	Weight kg/km	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132808	20x2x0.14	11.3	184.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132809	25x2x0.14	12.5	238.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132810	30x2x0.14	13.1	270.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132820	2x2x0.25	7.0	54.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132821	3x2x0.25	7.1	66.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132822	4x2x0.25	7.6	81.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132823	6x2x0.25	8.5	115.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132824	8x2x0.25	10.3	130.0	





Flex data transmission cable

LiYCY(TP) Twisted paired-Flexible screened data Transmission

Catalog No.	Description&No. Conductors x cross-sec mm ²	Outer Diameter	Weight kg/km	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132825	10x2x0.25	11.0	158.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132826	12x2x0.25	11.3	190.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132827	16x2x0.25	12.5	238.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132828	25x2x0.25	16.1	344.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132830	2x2x0.50	8.6	93.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132831	3x2x0.50	8.7	129.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132832	4x2x0.50	9.4	146.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132833	6x2x0.50	11.1	198.0	





Flex data transmission cable

LiYCY(TP) Twisted paired-Flexible screened data Transmission


Catalog No.	Description&No. Conductors x cross-sec mm ²	Outer Diameter	Weight kg/km	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132834	8x2x0.50	13.1	259.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132835	12x2x0.50	14.9	354.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132836	16x2x0.50	16.5	459.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132840	2x2x0.75	9.3	106.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132841	3x2x0.75	9.4	140.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132842	4x2x0.75	10.7	179.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132843	6x2x0.75	11.1	215.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132844	8x2x0.75	12.1	246.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132845	12x2x0.75	14.7	305.0	




Flex data transmission cable

LiYCY(TP) Twisted paired-Flexible screened data Transmission

Catalog No.	Description&No. Conductor s x cross-sec mm ²	Outer Diameter	Weight kg/km	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132850	2x2x1.00	10.3	142.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132851	3x2x1.00	10.4	173.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132852	4x2x1.00	11.3	212.0	
LiYCY(TP) Twisted paired-Flexible screened data Transmission Cable colorcores NO.7132853	5x2x1.00	11.8	266.0	





HANGZHOU ZION COMMUNICATION CO.,LTD

*Focus on customer needs,
provide competitive signal transmission products and services,
continue to create maximum value for customers!*

ZION COMMUNICATION
*To be the primary provider of the products and services
in the field of signal transmission all over the world!*



For more information, please visit us at:
www.zion-communication.com



■ CONNECT US



ADD: NO.68,HuaQiao Road,JinCheng,Lin'an,
Zhejiang,China,311300
TEL: +86 571 63804414
FAX: +86-571-63804424
Email: info@zion-communication.com